

SHINE

Unveiling the true
beauty of glass



FILMOP[®]
INTERNATIONAL

EN



SHINE
LINE

SHINE LINE

Glass gets its
shine back with
Filmop



The **Shine** line embodies **Filmop's excellence for professional glass cleaning**, designed to make it both highly effective and efficient.

Washers, window squeegees, poles and more: the operator has **everything he needs for every cleaning task**.

Quality materials, innovative features and high user comfort are the strengths that characterise and make the entire line unique.

A completely connected cleaning system

Glass, surfaces, floors: **Uni-Connect** gets everywhere by connecting the entire range of professional cleaning equipment.

The operator can **quickly switch from one tool to another, easily cleaning any surface**, even the highest or hard-to-reach one.



Uni-Connect compatible products are marked with this symbol, browse the catalogue to discover them all!

UNIVERSAL CONNECTION

The same handle can be connected to any tool



QUICK HOOKING

Fixing is immediate and does not require complicated procedures



SECURE FIXING

The equipment remains securely connected during operations

Yarns for highly effective cleaning

The **window washers** excel in their **excellent collection capacity** and **high absorbency**, providing significantly better performance than traditional systems.

Manufactured using **solar energy** from the complex of photovoltaic systems installed on the company premises, they are available in **three versions with or without abrasive fibre** to meet every need.



The window washers **operate in synergy with their supports** designed to excel in terms of performance and efficiency.

Clarus-W Prime



Compatible with Uni-Connect system
and Italian thread





SELECTED MATERIALS

Made of **high quality polypropylene copolymer**, lightweight and resistant

DISTINCTIVE FEATURES

It stands out for its many grooves that fill with cleaning solution when dipped and then gradually release it, ensuring **long lasting soaking**

EASE OF USE

The length of the handgrip and ergonomic design have been specially developed to **promote comfortable use and reduce fatigue**



Made from material that is fully recyclable at end-of-life

Clarus-W Prime






Clarus-W Master



Compatible with Uni-Connect system
and Italian thread





**PATENT
PENDING**

SELECTED MATERIALS

Made of **high quality aluminium**, lightweight, stainless and resistant

DISTINCTIVE FEATURES

It stands out for its smooth, cavity-free washer head that adheres completely to the surface, making **dirt removal incredibly quick and easy**

EASE OF USE

The length of the handgrip and ergonomic design **promote comfortable use and reduce fatigue** while the bimaterial construction ensures a **non-slip hold**



Made from separable materials and therefore recyclable at end-of-life

Clarus-W Master





Jointed Clarus-W Master



Compatible with Uni-Connect system
and Italian thread



The articulated version combines the advantages of the fixed version with the **rotation of the washer head up to 180°**, which can be **locked in an instant and at any point** using the practical knob.

The operator can decide whether to use the tool freely articulated, i.e. with an 'S' movement, or to **lock it at the desired angle** as required.

ANGLE LOCKING PROCEDURE



Turn the knob to the left to unlock the washer head

Position the washer head at the desired angle

Turn the knob to the right to lock the angle



180°



**PATENT
PENDING**




Made from separable materials and therefore recyclable at end-of-life

SHINE

Jointed Clarus-W Master








Blades for professional drying

Completely smooth and free of imperfections, Filmop blades **perfectly clean the surface in a single wipe** ensuring considerable time savings.

The closed-cell natural rubber construction **prevents the build-up of dirt and bacteria**, thus raising hygiene standards, while the vulcanisation treatment **maximises resistance** and ensures a long service life.

Available in **blue** and **black** versions, they can be **replaced easily in the event of wear and tear**, extending the life of the squeegees in the range forever.



Highly effective
hard black rubber




Highly gliding
blue rubber



Gloss-W Superior



Compatible with
Uni-Connect system




SELECTED MATERIALS

Made of **high-quality stainless steel**, resistant and long-lasting



DISTINCTIVE FEATURES



It allows even pressure over the entire length of the blade, resulting in **complete and residue-free drying**



Completely closed sideways to ensure **maximum safety in use** and prevent accidents



Designed to make it easier to insert the support and replace the blade when worn



Equipped with **convenient hole for hanging the squeegee** in use or at the end of cleaning operations



30°

Fixed operating angle to maximise performance and comfort



Partly made of recycled stainless steel

SHINE

Gloss-W Superior



EASE OF USE

The ergonomic design **promotes comfortable handling** while the non-slip rubber coating ensures a **firm and secure grip in all conditions**





Innovation in blade replacement

The **Gloss-W** range of **plastic squeegees** is characterised by a highly innovative system that allows **the blade to be turned or replaced extremely quickly and conveniently**, resulting in considerable time savings.

A light pressure on the retractable button is enough to **release the blade while keeping the support in place**. Harder pressure, on the other hand, allows it to be released when needed, requiring **30% less effort** than steel squeegees*.

REPLACEMENT PROCEDURE



Pull the retractable button to activate it



Press lightly to release the blade or more firmly to release the support

PATENT PENDING



Push the button in to deactivate it

* Tests carried out with Gloss-W plastic squeegees and a traditional steel squeegee

Gloss-W Prime



Compatible with Uni-Connect system
and Italian thread



SELECTED MATERIALS

Made of **high-quality**, lightweight, impact-resistant **plastic** handgrip and **long-lasting stainless steel** support

DISTINCTIVE FEATURES

The clamp fastening system ensures **maximum hold of the support and blade** during glass drying operations by preventing accidental release

EASE OF USE

The length of the handgrip and ergonomic design have been specially developed to **promote comfortable use and reduce fatigue**



30°



**PATENT
PENDING**

Fixed operating angle
to maximise performance
and comfort



Made from separable materials
and therefore recyclable at end-of-life

Gloss-W Prime





Jointed Gloss-W Prime



Compatible with Uni-Connect system
and Italian thread



Top of the range in the Shine line, Gloss- W Prime in the articulated version stands out for its **adjustable** squeegee head position of **up to 150°** and its **ergonomic and non-slip bimaterial** rubber and polyamide **handle**.

Acting on the head **button** and the **central** handle **knob**, the operator can decide to work with the **tool freely articulated**, i.e. with an 'S' movement, or **lock it in the standard central position or in any other position** according to his needs.

HOW TO USE IT

SQUEEGEE IN STANDARD CENTRAL POSITION



Put the head in the central position



Lock it to the handle by pressing the button downwards

FREELY ARTICULATED SQUEEGEE



Push the head button upwards to deactivate the central position



Turn the handle knob to the left to unlock the head

SQUEEGEE WITH DESIRED ANGLE



Set the head at the desired angle



Turn the handle knob to the right to lock the angle



PATENT PENDING



Made from separable materials and therefore recyclable at end-of-life

Jointed Gloss-W Prime





30°

Fixed operating angle
to maximise performance
and comfort



150°

Gloss-W Ambo



Compatible with Uni-Connect system
and Italian thread



RAW MATERIALS

Lightweight and resistant thanks to **high-quality plastic, aluminium and stainless steel** construction

DISTINCTIVE FEATURES

Perfect symbiosis between the aluminium window washer support and the plastic squeegee that **allows one tool to be used for washing and drying**, speeding up operations

EASE OF USE

The length of the handgrip and ergonomic design have been specially developed to **promote comfortable use and reduce fatigue**



**PATENT
PENDING**



Fixed operating angle
to maximise performance
and comfort

Made from separable materials
and therefore recyclable at end-of-life

Gloss-W Ambo






Spectra-W Pro



Compatible with Uni-Connect system
and Italian thread





SELECTED MATERIALS

Made of **high quality aluminium**, lightweight, stainless and resistant

DISTINCTIVE FEATURES



The **anti-twist system** prevents the tubes from twisting together, making it easier to extend the pole and ensuring greater stability during use



The **quick-opening and closing plastic ring** makes adjusting the pole to the desired height faster and more convenient



The **non-slip rubber grip** prevents the pole from slipping when it is placed vertically



The **practical hole** allows water to drain off when washing surfaces and enables the pole to be hung up

PATENT PENDING

EASE OF USE

The handle length and ergonomic design **promote comfortable use and reduce fatigue**, while the non-slip rubber material ensures a **firm and secure grip**

COMPATIBILITY

Supplied complete with **American thread cone**, making them **universal** and compatible with both Uni-Connect and conventional systems on the market



Made of separable materials and therefore recyclable at end-of-life

SHINE

Spectra-W Pro





Spectra-W Pro






Joint for telescopic pole



Compatible with Uni-Connect system
and Italian thread



Applicable to \varnothing 21 mm poles and \varnothing 23 mm handles, it allows **operation at any angle**, thus facilitating cleaning in the most difficult places.

Ideal combined with tools with a fixed working angle of 30°, it is equipped with a **push-button system that allows the rotation to be adjusted and locked** according to specific needs.



DISTINCTIVE FEATURES



Rotation from 0° to 225°
for maximum flexibility



Rotation lock every 15°
for optimum precision



**PATENT
PENDING**



Made from separable materials
and therefore recyclable at end-of-life

Joint for telescopic pole






Cone with American thread



Compatible with
Uni-Connect system



It can be applied to **poles** and **handles** and allows **tools with a cone-shaped end** to be attached so that even hard-to-reach places can be easily cleaned.



Made from material that is fully recyclable
at end-of-life

Glass cleaning essentials



KIT FOR WINDOW CLEANING

Case containing the complete tool kit for professional window cleaning, equipped with elastic bands that keep the single products firmly in place and ready for use.



ADJUSTABLE BELT

The belt with pockets keeps **equipment within easy reach**, making it a useful ally when cleaning surfaces with manual cloths and washing floors with tools with tanks.

The adjustable fastening makes it universal and **can be quickly adapted to the operator**. It is supplied with **two practical pockets** and can be equipped with a **practical bag-holder ring** according to your needs.



Glass cleaning essentials





Glass cleaning essentials



BUCKET WITH WRINGER AND SQUEEGEE HOLDER

20 litre plastic bucket complete with ergonomic handle, graduated scale and bottom-saving edge for easy grip when emptying.

Equipped with a **wringer that can be used with 35 and 45 cm washer sleeves and a holder for the squeegee** that can be placed either inside or outside as required. It can also be equipped with **four swivelling wheels** for ease of transport.



PSV certified bucket
Plastic Second Life

Fully recyclable components
at end of life



MANUAL SLEEVE WRINGER

A useful tool for wringing excess liquid from the washer sleeve before passing it onto the glass, equipped with a handy hole for hanging and keeping it always at hand.



**PATENT
PENDING**



Made from material that is fully
recyclable at end-of-life

Glass cleaning essentials





Glass cleaning essentials



Product partially made of plastic components certified PSV
Plastic Second Life

SHINE TROLLEY

A trolley with axial wheels specially designed for window cleaning, **equipped with everything necessary; can be freely accessorized** as required.

Ensures a **long service life** due to highly resistant premium materials.

4 lt buckets in two colours for easy identification of tools and chemicals

Useful **hooks** to hold dustpans, handles, spray bottles

Push-bar complete with reinforcements designed for easy handling

One-piece frame, robust, solid and easy to clean

Storage compartment to allow the transport of bottles and tools



The certified Carbon Footprint Systematic Approach allows the counting of CO₂ emissions related to each phase of the trolley lifecycle

Window washers

CLARUS-W PRIME - complete window washer polyester short yarn, with plastic support with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9602	35
9603	45

CLARUS-W PRIME - complete window washer polyester short yarn with scrubbing fibres, with plastic support with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9902	35
9903	45

CLARUS-W PRIME - complete window washer acrylic long yarn with plastic support with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9702	35
9703	45

CLARUS-W PRIME - complete window washer polyester short yarn with abrasive fibre, with plastic support with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9632	35
9633	45

CLARUS-W PRIME - complete window washer polyester short yarn with scrubbing fibres and abrasive fibre, with plastic support with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9932	35
9933	45

CLARUS-W PRIME - complete window washer acrylic long yarn with abrasive fibre, with plastic support with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9732	35
9733	45

CLARUS-W PRIME - plastic support for washer sleeve with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9241	25
9242	35
9243	45

CLARUS-W MASTER - aluminium support for washer sleeve with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9344	55

CLARUS-W MASTER - jointed aluminium support for washer sleeve with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9441	25
9442	35
9443	45
9444	55

Polyester short yarn window washer sleeve



REF.	SIZE (cm) ↓ ↓ ↓
9105	25
9106	35
9107	45
9108	55

Window washer sleeve short yarn with scrubbing fibres



REF.	SIZE (cm) ↓ ↓ ↓
9405	25
9406	35
9407	45

Acrylic long yarn window washer sleeve



REF.	SIZE (cm) ↓ ↓ ↓
9505	25
9506	35
9507	45

Polyester short yarn window washer sleeve with abrasive pad



REF.	SIZE (cm) ↓ ↓ ↓
9135	25
9136	35
9137	45

Window washer sleeve short yarn with scrubbing fibres and abrasive pad



REF.	SIZE (cm) ↓ ↓ ↓
9435	25
9436	35
9437	45

Acrylic long yarn window washer sleeve with abrasive pad



REF.	SIZE (cm) ↓ ↓ ↓
9535	25
9536	35
9537	45

GLOSS-W AMBO - plastic window squeegee and sleeve with aluminium holder with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9952	35
9953	45

Plastic grip with window washer support for Gloss-W Ambo with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9561	25
9562	35
9563	45
9564	55

Window squeegee

GLOSS-W SUPERIOR - complete stainless steel squeegee with blue rubber blade



REF.	SIZE (cm) ↓ ↓ ↓
9451A	25
9452A	35
9453A	45
9454A	55

GLOSS-W SUPERIOR - stainless steel window squeegee



REF.	SIZE (cm) ↓ ↓ ↓
9451	25
9452	35
9453	45
9454	55

GLOSS-W PRIME - complete plastic squeegee with Italian thread and blue rubber blade



REF.	SIZE (cm) ↓ ↓ ↓
9551A	25
9552A	35
9553A	45
9554A	55

GLOSS-W PRIME - complete plastic window squeegee with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9551	25
9552	35
9553	45
9554	55

GLOSS-W PRIME - complete jointed plastic squeegee with Italian thread and blue rubber blade



REF.	SIZE (cm) ↓ ↓ ↓
9751A	25
9752A	35
9753A	45
9754A	55

GLOSS-W PRIME - complete plastic jointed window squeegee with Italian thread



REF.	SIZE (cm) ↓ ↓ ↓
9751	25
9752	35
9753	45
9754	55

Stainless steel grip for blue window squeegee Gloss-W Superior



REF.	NOTES
9661A	

Stainless steel grip for window squeegee Gloss-W Superior



REF.	NOTES
9661	

Plastic grip for Gloss-W Prime window squeegee with Italian thread



REF.	NOTES
9861	

Plastic grip for Gloss-W Prime jointed window squeegee with Italian thread



REF.	NOTES
9761	

Stainless steel channel with blue rubber blade for window squeegee



REF.	SIZE (cm) ↓ ↓ ↓
9363A	25
9364A	35
9365A	45
9366A	55

Stainless steel channel with rubber blade for window squeegee



REF.	SIZE (cm) ↓ ↓ ↓
9363	25
9364	35
9365	45
9366	55

Blue rubber blade for window squeegee



REF.	SIZE (cm) ↓ ↓ ↓
9271A	92
9272A	71

Rubber blade for window squeegee



REF.	SIZE (cm) ↓ ↓ ↓
9271	92
9272	71
9376	55
9375	45
9374	35
9373	25

Aluminium poles

Aluminium pole complete with cone with Italian thread for Uni-Connect system and cone with American thread



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
0005AS28150A	1 pc x 1,50 m	150

Telescopic aluminium pole complete with cone with Italian thread for Uni-Connect system and cone with American thread - 2 pieces



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
00059875A	2 pcs x 1,00 m	200
00059881A	2 pcs x 1,25 m	250
00059878A	2 pcs x 1,50 m	300
00059882A	2 pcs x 2,00 m	400
00059876A	2 pcs x 2,50 m	500
00059883A	2 pcs x 3,00 m	600

Telescopic aluminium pole complete with cone with Italian thread for Uni-Connect system and cone with American thread - 3 pieces



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
00059886A	3 pcs x 1,00 m	300
00059887A	3 pcs x 1,50 m	450
00059884A	3 pcs x 2,00 m	600
00059885A	3 pcs x 3,00 m	900
00059877A	3 pcs x 3,50 m	1050

Spectra-W Pro aluminium poles

SPECTRA-W PRO - aluminium pole complete with cone with Italian thread for Uni-Connect system and cone with American thread



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
0005AS01150A	1 pc x 1,50 m	150

SPECTRA-W PRO - aluminium telescopic pole complete with cone with Italian thread for Uni-Connect system and cone with American thread - 2 pieces



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
0005AS02100A	2 pcs x 1,00 m	200
0005AS02125A	2 pcs x 1,25 m	250
0005AS02150A	2 pcs x 1,50 m	300
0005AS02200A	2 pcs x 2,00 m	400
0005AS02250A	2 pcs x 2,50 m	500
0005AS02300A	2 pcs x 3,00 m	600

SPECTRA-W PRO - aluminium telescopic pole complete with cone with Italian thread for Uni-Connect system and cone with American thread - 3 pieces



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
0005AS03100A	3 pcs x 1,00 m	300
0005AS03150A	3 pcs x 1,50 m	450
0005AS03200A	3 pcs x 2,00 m	600
0005AS03300A	3 pcs x 3,00 m	900
0005AS03350A	3 pcs x 3,50 m	1050

Accessories for poles

End cone with Italian thread for telescopic handles and poles with Uni-Connect system



REF.	NOTES
P179047UA	for handles \varnothing 23 mm
P179049UA	for poles \varnothing 21 mm

Joint with Italian thread for handles and telescopic poles for Uni-Connect system



REF.	NOTES
P179078UA	for handles \varnothing 23 mm
P179079UA	for poles \varnothing 21 mm

Cone with American thread



REF.	NOTES
P179032U	

End cone with Italian screw for telescopic pole



REF.	NOTES
9089/2A	

Cranked joint for telescopic pole



REF.	NOTES
9088A	

Hook for telescopic pole



REF.	NOTES
9096A	

Grey laquered wooden and metal display stand for handles and telescopic poles



REF.	NOTES	SIZE (cm)
P06000		45x45x41

Window cleaning set

Kit for window cleaning



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
9130		146x13x24,5
00059881A	Aluminium pole with cone for Uni-Connect system, 2x1.25 m	1 pc
9088A	Cranked joint for telescopic pole	1 pc
9271	Rubber blade for window squeegee 92 cm, Filmop line	1 pc
9316	CLIP - scraper with 10 blades	1 pc
9363	Stainless steel channel with rubber blade for window squeegee 25 cm, Filmop line	1 pc
9364	Stainless steel channel with rubber blade for window squeegee 35 cm, Filmop line	1 pc
9365	Stainless steel channel with rubber blade for window squeegee 45 cm, Filmop line	1 pc
9406	Window washer sleeve short yarn with scrubbing fibres, 35 cm	1 pc
9602	CLARUS-W PRIME - window washer polyester short yarn with fixed plastic support with Italian thread, 35 cm	1 pc
9661	Stainless steel grip for window squeegee, Filmop line	1 pc
9851	Floor scraper with plastic grip	1 pc
TCH201020	POWER-T - ultramicrofibre wiping cloth, 40x40 cm, blue	5 pcs

SHINE - glass line trolley



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
0000LP2310U		78x58x120

20 Lt plastic bucket with plastic handle complete with sieve and squeegee holder



REF.	NOTES	SIZE (cm) ↓ ↓ ↓
0002SE1222A		24x55x27

Window squeegees support for 10 and 20 Lt buckets



REF.	NOTES
P190351U	

Manual plastic sleeve wringer



REF.	NOTES
P190015A	

Adjustable belt with 2 pockets for tools



REF.	NOTES
Q0400208	

Plastic ring to hold polybags for belt



REF.	NOTES
P190017H	

Wheel ø 50 mm



REF.	NOTES
7949	For King, Spider, Rocket Wheels, Duo Pro System, Prisma, Twin, Top-Down®, Pick-Up, Trend and code 0000SE1428

NOTES



FILMOP INTERNATIONAL SRL (Soc. a Socio Unico)
Via dell'Artigianato 10/11, 35010 VILLA DEL CONTE (PD), ITALY
Tel. +39 049 9325066 - Fax +39 049 9325317
e-mail: filmop@filmop.com - www.filmop.com

Photos and contents may have been updated

Distributor



Product certification valid
for a range of plastic products



Product certification valid
for a range of textile products



Product certification valid
for a selection of wheeled
cabinets